
DRIFL@WER



LIL' BUDDY

PERSONAL ROLLING HARVEST-RACK™

ASSEMBLY INSTRUCTIONS

PARTS INCLUDED

The LIL' BUDDY Harvest-Rack pieces:

METAL BARS 2 - 24" Wheel-Bar (1.5"x 1.5" sq.) (A) 1 - 24" Cross-Bar w/ sticker (1.5"x 1.5" sq.) (B) 2 - 48" Vertical-Post (1.5"x 1.5" sq.) (C) 1 - 32" Hanger-Bar (1.5"x .75") (D)
WHEELS 4 - Locking Castors (O)
NUTS & BOLTS
6 - 3 ³ / ₄ " Hex Head Bolts (1/2)

RECOMMENDED TOOLS (NOT INCLUDED)

Ratchet Wrench 3/4" Socket 3/4" Wrench



PREPARE TO BUILD YOUR ROLLING HARVEST-RACK

Congratulations! Say hello to your new best bud, The DriFlower LIL' BUDDY Personal Rolling Harvest-Rack.

MAKE SURE TO READ ALL OF THESE INSTRUCTIONS

After reading the instructions, make sure you have the correct pieces, nuts and bolts for each assembly (listed on the front page of these instructions).

You'll start by building the base-assembly.

Then, connect the Vertical Posts to the base-assembly.

Lastly, attach the Hanger-Bar and you're done!

NO NEED TO STRAIN - HAND TIGHTEN FOR LESS PAIN

When assembling, we recommend **not** fully tightening all nuts and bolts until all pieces are assembled.

Simply hand-tighten (or loosely tighten) the connections so there is adjustability when connecting other pieces.

Once the rack is fully assembled, then tighten all connections with the recommended tools.

**KEEP IT IN LINE AND YOU'LL BE FINE

Keeping a visual check on the center alignment of your rack will make for easy assembly and usage.

For example, there are two sets of pre-drilled holes on the bottom of the Vertical Posts that align with holes in the Cross-Bar and the holes in the Wheel-Bars.

When attaching the Vertical Posts to the base assembly,


** make sure all the pre-drilled holes line up.

Another important alignment, the Hanger-Bar should be centered for proper weight distribution on the rack.


*** Make sure the Hanger-Bar is directly over the Cross-Bar.

Take your time. This Harvest-Rack is about to transform the way you harvest your flower!

BUILD YOUR BASE-ASSEMBLY



Begin by attaching all four castors (O) to the two Wheel-Bars (A). Thread the castor bolt through **both** holes on each end of the Wheel-Bars and fit the castor washer and nut on the top end of the castor bolt (as pictured) tighten by hand.




Attach both Wheel-Bars **above** the center holes of the Cross-Bar using 3 3/4" hex bolts (i), washers (w) and 1/2" hex nuts (n) on each side. Tighten by hand.

Time to shine, keep it in line.

*Make sure to attach the Cross-Bar underneath the Wheel-Bars so that the Cross-Bar is on the same side as the Castor Wheels.

CONNECT VERTICAL POSTS TO BASE-ASSEMBLY



** IMPORTANT NOTE: VERTICAL POSTS HAVE TWO SETS OF HOLES ON THE BOTTOM OF EACH POST THAT ALIGN WITH THE HOLES OF YOUR BASE-ASSEMBLY.


Make sure to align your Vertical-Posts so that both sets of holes line up with the off-center holes in the Wheel-Bars **and the predrilled holes of the Cross-Bar (sticker side).

Use the 3 3/4" hex bolts (i), washers (w) and 1/2" hex nuts (n) on each side of the Wheel-Bar directing the bolt thread toward the inside of the rack. Tighten by hand.

CONNECT VERTICAL POSTS TO CROSS-BAR

4

MAKE SURE STEP 3 HAS BEEN COMPLETED CORRECTLY BEFORE PROCEEDING.




** **IMPORTANT NOTE:** MAKE SURE THE PRE-DRILLED HOLES IN THE VERTICAL POSTS ALIGN WITH THE HOLES IN THE CROSSBAR OF THE BASE-ASSEMBLY.

**If step 3 of these instructions has been completed correctly, you will be able to easily fasten the Vertical-Posts to the Cross-Bar with 3 3/4" hex bolts (i), washers (w) and 1/2" hex nuts on each side of the Base-Assembly.

Tighten by hand.

ATTACH HANGER-BAR TO VERTICAL POSTS

6




Attach the Hanger-Bar to the top of the Vertical Posts using 3" hex bolts (\mathbf{Y}), washers (\mathbf{w}) and 1/2" hex nuts (\mathbf{n}). Tighten by hand.

Keep it in line and you'll be fine.

***Make sure to attach the Hanger-Bar on the same side as the Cross-Bar so that your J-Hangers will be centered on the rack for proper weight distribution.



Once all parts have been connected, tighten each bolt and nut using the appropriate wrenches and drivers.



Once all connections have been tightened, the LIL' BUDDY is ready to roll.

Literally.

Place some J-Hangers on the Hanger-Bar and hang flower!

For a video of this assembly and to view other videos and instructions, please visit us online at:

https://driflower.com/support/brochures-and-manuals/

